


AEC



HANDLES TURRET TERMINALS TERMINAL BOARDS ELECTRONIC HARDWARE

REMEMBER... YOU CAN COUNT ON ABACUS



ABACUS ELECTRONICS CORPORATION

10 HUDSON TERRACE, DOBBS FERRY, N.Y. 10522 TELEPHONE: 914-693-1450

TABLE OF CONTENTS

	Pages
MODULAR BOARDS	1-6 white
HANDLES • FERRULES	7-22 yellow
SPACERS • STANDOFFS	23-30 blue
SHAFTLOCKS • BUSHINGS • COUPLINGS • BRACKETS	31-36 green
CAPTIVE SCREWS • CAPTIVE SCREW BUSHING • THUMB SCREWS	37-40 pink
TERMINALS	41-52 gold

- ☐ Add my name to your mailing list for all new items.
☐ Have your sales representative call.

I Need Additional Information on

For
Product Literature
and Service . . .
DETACH AND
MAIL THIS CARD

- ☐ Terminals
☐ Terminal Boards
☐ Hardware
☐ Handles
☐ Connectors

- ☐ Captive Screws
☐ Spacers
☐ Printed Circuits and Plastic
Fabrication
☐ Component Holders
☐ Transistor Sockets

Name Title
Company
Company Address
City State Zip No.
Phone Extension

- ☐ Add my name to your mailing list for all new items.
☐ Have your sales representative call.

I Need Additional Information on

For
Product Literature
and Service . . .
DETACH AND
MAIL THIS CARD

- ☐ Terminals
☐ Terminal Boards
☐ Hardware
☐ Handles
☐ Connectors

- ☐ Captive Screws
☐ Spacers
☐ Printed Circuits and Plastic
Fabrication
☐ Component Holders
☐ Transistor Sockets

Name Title
Company
Company Address
City State Zip No.
Phone Extension

- ☐ Add my name to your mailing list for all new items.
☐ Have your sales representative call.

I Need Additional Information on

For
Product Literature
and Service . . .
DETACH AND
MAIL THIS CARD

- ☐ Terminals
☐ Terminal Boards
☐ Hardware
☐ Handles
☐ Connectors

- ☐ Captive Screws
☐ Spacers
☐ Printed Circuits and Plastic
Fabrication
☐ Component Holders
☐ Transistor Sockets

Name Title
Company
Company Address
City State Zip No.
Phone Extension

Postage
Will be Paid
by
Addressee

No
Postage Stamp
Necessary
If Mailed in the
United States

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 69 DOBBS FERRY, N. Y.

ABACUS ELECTRONICS CORP.

10 HUDSON TERRACE

DOBBS FERRY, N.Y. 10522

Postage
Will be Paid
by
Addressee

No
Postage Stamp
Necessary
If Mailed in the
United States

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 69 DOBBS FERRY, N. Y.

ABACUS ELECTRONICS CORP.

10 HUDSON TERRACE

DOBBS FERRY, N.Y. 10522

Postage
Will be Paid
by
Addressee

No
Postage Stamp
Necessary
If Mailed in the
United States

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 69 DOBBS FERRY, N. Y.

ABACUS ELECTRONICS CORP.

10 HUDSON TERRACE

DOBBS FERRY, N.Y. 10522

TERMINAL BOARDS

Standard

ABACUS Terminal Boards are available in a wide range of styles and materials from which you can choose the width and length to suit your requirements.

Custom

Our Custom Department is also equipped to make any size, and style you wish. Most custom jobs are promptly delivered within one week from the day we receive your order.

SPECIFICATIONS

MATERIAL

Epoxy	-Mil-P-18177	- Type GEE
Linen	-Mil-P-15035	- Type FBE
Melamine	-Mil-P-15037	- Type GMG
Nylon	-Mil-P-15047	- Type NPG
Phenolic	-Mil-P-3115	- Type PBE
Silicone	-Mil-P-997	- Type GSG


TURRET TERMINALS

Brass 1/2 Hard Comp. 22 per QQ-B-626
-Standard Plating.

ABACUS keeps a large stock of terminals to choose from.
(See our terminal section #6)

QUALITY CONTROL

Very tight control is the secret of our quality.
Our products are guaranteed to be entirely satisfactory.



REMEMBER...YOU CAN COUNT ON ABACUS



Abacus Electronics Corp.

ABACUS ELECTRONICS CORPORATION

10 HUDSON TERRACE, DOBBS FERRY, NEW YORK 10522 TEL. (914) 693-1450


ABACUS

ITEM

MODULAR BOARD MINIATURE SIZE

SERIES

I B



WIDTH			MATERIAL			TERMINALS		SCORING
NO.	W	S	NO.	TYPE	THK.	NO.	TYPE	U-UNSCORED S-SCORED
1B1	5/16		1	XXX PHENOLIC	1/16	1	6A1	
1B2	3/4	1/2	2	LINEN	1/16	2	6B1	
1B3	1	3/4	3	NYLON	1/16	3	6C2	
			4	SILICONE	1/16	4	6G1	
			5	MELAMINE	1/16	5	6H1	
			6	EPOXY	1/16	6	6J1	

ACTUAL SIZE



ORDERING INFORMATION

PART NO. SPECIFIED AS FOLLOWS:

WIDTH	MATERIAL	TERMINAL	SCORING
1B3	-6	-2	-S

EXAMPLE:

1B3-6-2-S BOARD 1 INCH WIDE.
EPOXY 1/16 THICK. NO. 6B1 TERMINAL SCORED

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 1 PAGE 1B

ABACUS


ITEM

CUSTOM BOARD

STANDARD SIZE

SERIES

I C



WIDTH

NO.	W	S
1C1	1/2	
1C2	1-1/2	1
1C3	2	1-1/2
1C4	2-1/2	2
1C5	3	2-1/2


MATERIAL

NO.	TYPE	THK.
1	XXX PHENOLIC	1/8
2	LINEN	1/8
3	NYLON	1/8
4	SILICONE	3/32
5	MELAMINE	3/32
6	EPOXY	3/32

TERMINALS

NO.	TYPE
1	6A3
2	6B5
3	6D1
4	6E3
5	6F1
6	6J3

ACTUAL SIZE



ORDERING INFORMATION

PART NO. SPECIFIED AS FOLLOWS:

WIDTH	MATERIAL	TERMINAL	T (NO. OF TERMINALS PER SIDE)
1C3	-3	-4	-10

EXAMPLE;

1C3-3-4 10 BOARD 2 INCHES WIDE, NYLON 1/8 THICK.
NO. 6E3 TERMINAL. 10 TO A SIDE. BOARD 4-1/2 LONG.

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63

SECTION

PAGE

I C

ABACUS


ITEM

CUSTOM BOARD

MINIATURE SIZE


SERIES

1 D



WIDTH			MATERIAL			TERMINALS	
NO.	W	S	NO.	TYPE	THK.	NO.	TYPE
1D1	5/16		1	xxx PHENOLIC	1/16	1	6A1
1D2	3/4	1/2	2	LINEN	1/16	2	6B1
1D3	1	3/4	3	NYLON	1/16	3	6C2
			4	SILICONE	1/16	4	6G1
			5	MELAMINE	1/16	5	6H1
			6	EPOXY	1/16	6	6J1

ACTUAL SIZE



ORDERING INFORMATION

PART NO. SPECIFIED AS FOLLOWS:

6A1 6B1 6C2 6G1 6H1 6J1

WIDTH	MATERIAL	TERMINAL	T (NO. OF TERMINALS PER SIDE)
1D2	-2	-3	-10

EXAMPLE:

1D2-2-3-10 BOARD, 3/4 INCHES WIDE, 1/16 THICK LINEN,
NO. 6C2 TERMINAL, 10 PER SIDE. BOARD 2-5/8 LONG.

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63


SECTION 1 PAGE 1D

ABACUS

ITEM

1 E

SERIES



WIDTH			MATERIAL			TERMINALS		SCORING
NO.	W	S	NO.	TYPE	THK.	NO.	TYPE	U-UNSCORED S-SCORED
1E1	5/16		1	XXX PHENOLIC	1/16	1.	6A1	
1E2	7/8	9/16	2	LINEN	1/16	2	6B1	
1E3	1-1/8	13/16	3	NYLON	1/16	3	6C2	
			4	SILICONE	1/16	4	6G1	
			5	MELAMINE	1/16	5	6H1	
			6	EPOXY	1/16	6	6J1	

ACTUAL SIZE


ORDERING INFORMATION

PART NO. SPECIFIED AS FOLLOWS:

WIDTH	MATERIAL	TERMINAL	SCORING
1E3	- 6	- 2	- S

EXAMPLE :

1E3-6-2-S BOARD 1.1/8 INCHES WIDE
EPOXY 1/16 THICK. NO. 6B1 TERMINAL SCORED



6A1 6B1 6C2 6G1 6H1 6J1

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 1 PAGE 1 E


ABACUS

ITEM

O V A L H A N D L E

SERIES

2 A



PART NO.	L	D	A	T
2A1	3	1 9/32	9/32	10-24
2A2	3	1 3/4	1/2	10-24
2A3	4	1 3/4	1/2	10-24
2A4	4 9/16	1 1/2	1/2	10-24
2A5	4 9/16	1 3/4	1/2	10-24
2A6	6 7/16	1 3/4	1/2	10-24
2A7	9	1 3/4	1/2	10-24

MATERIAL: ALUMINUM PER QQ-A-325-A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11
(ALSO AVAILABLE IN SEMI/FROST PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER. EXAMPLE - 2B1-S)

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 A


ABACUS

ITEM

O V A L H A N D L E

SERIES

2 B



PART NO.	L	D	A	T
2B1	3	1 9/32	9/32	10-32
2B2	3	1 3/4	1/2	10-32
2B3	4	1 3/4	1/2	10-32
2B4	4 9/16	1 1/2	1/2	10-32
2B5	4 9/16	1 3/4	1/2	10-32
2B6	6 7/16	1 3/4	1/2	10-32
2B7	9	1 3/4	1/2	10-32

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE AND POLISH PER MIL QQ-N-290 TYPE VI
(ALSO AVAILABLE IN BLACK OXIDE PER MIL-F-495A
ADD LETTER B TO PART NUMBER - EXAMPLE - 2B1-B

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 B


ABACUS

ITEM

HANDLE - ROUND

SERIES

2 C



PART NO.	T	L	D	A	T
2C1	2		1 1/2	7/16	8-32
2C2	2		1 5/16	7/16	8-32
2C3	3		1 5/16	7/16	8-32
2C4	3		1 1/2	7/16	8-32
2C5	2		1 1/2	7/16	10-32
2C6	2		1 5/16	7/16	10-32
2C7	3		1 5/16	7/16	10-32
2C8	3		1 1/2	7/16	10-32
2C9	4		1 1/2	9/16	10-32
2C10	4		1 7/8	9/16	10-32
2C11	4	1/4	1 1/2	9/16	10-32
2C12	4	1/2	1 1/2	9/16	10-32
2C13	4	9/16	1 1/2	9/16	10-32
2C14	6		1 1/2	9/16	10-32
2C15	6	7/16	1 1/2	9/16	10-32
2C16	6	7/16	1 3/4	9/16	10-32
2C17	6	1/2	1 1/2	9/16	10-32
2C18	6	1/2	1 3/4	9/16	10-32

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE VI
(ALSO AVAILABLE IN BLACK OXIDE FINISH PER MIL-F-495A
ADD LETTER B TO PART NUMBER - EXAMPLE - 2C1-B)

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 C

ABACUS

ITEM


HANDLE

ROUND-ALUMINUM

SERIES

2 D

3/8 DIA.



PART NO.	L	D	T
2D1	2	1 5/16	10-32
2D2	2	1 3/4	10-32
2D3	2 1/2	1 3/4	10-32
2D4	3	1 3/4	10-32
2D5	3 1/2	1 3/4	10-32
2D6	4	1 3/4	10-32
2D7	4 1/2	1 1/2	10-32
2D8	4 1/2	1 3/4	10-32
2D9	5 1/4	1 3/4	10-32
2D10	5 3/4	1 3/4	10-32
2D11	6	1 3/4	10-32
2D12	6 7/16	1 3/4	10-32
2D13	6 1/2	1 3/4	10-32
2D14	7	1 3/4	10-32
2D15	4	1 7/8	10-32
2D16	4	1 7/8	12-24

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11

(ALSO AVAILABLE IN SEMI/FROST PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER - EXAMPLE - 2D1-S)

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63

SECTION

2

PAGE

2 D

ABACUS


ITEM

HANDLE - ROUND

SERIES

2 E

1/4 DIA.



PART NO.	L	D	T	A
2E1	2	1 1/2	8-32	9/16
2E2	3	1 1/2	8-32	9/16
2E3	4	1 1/2	8-32	9/16
2E4	6	1 1/2	8-32	9/16

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE AND POLISH PER MIL QQ-N-290 TYPE VI
(ALSO AVAILABLE IN BLACK OXIDE PER MIL-F-495A
ADD LETTER B TO PART NUMBER - EXAMPLE - 2E1-B

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 E

ABACUS


ITEM

HANDLE ROUND - ALUMINUM

SERIES

2 F

1/4 DIA.



PART NO.	L	D	T	A
2F1	2	1 1/2	8-32	9/16
2F2	3	1 1/2	8-32	9/16
2F3	4	1 1/2	8-32	9/16
2F4	6	1 1/2	8-32	9/16

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11
(ALSO AVAILABLE IN SEMI/FROST PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER - EXAMPLE - 2F1-S)

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 F

ABACUS


ITEM

HANDLE ROUND - BRASS

SERIES

2 G

5/32 DIA.



PART NO.	L	D	T	A
2G1	1 - 1/4	1	4 - 40	3/8
2G2	2	1	4 - 40	3/8
2G3	3	1	4 - 40	3/8

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE VI
(ALSO AVAILABLE IN BLACK OXIDE FINISH PER MIL-F-495A
ADD LETTER B TO PART NUMBER - EXAMPLE 2G1-B

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 G

ABACUS


ITEM

HANDLE ROUND - ALUMINUM

SERIES

2 H

5/32 DIA.



PART NO.	L	D	T	A
2H1	1 1/4	1	4.40	3/8
2H2	2	1	4.40	3/8
2H3	3	1	4.40	3/8

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11
(ALSO AVAILABLE IN SEMI/FROST PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER - EXAMPLE - 2H1-S)

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 H

ABACUS

ITEM


HANDLE

ROUND-ALUMINUM

5/16 DIA.

SERIES

2 J



PART NO.	L	D	A	T
2J1	3	1 3/4	7/16	10-32
2J2	4	1 3/4	7/16	10-32
2J3	6	1 3/4	7/16	10-32

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11
(ALSO AVAILABLE IN SEMI-FRSOT PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER - EXAMPLE - 2J1-S)

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 J

ABACUS

ITEM

HANDLE

ROUND-ALUMINUM

5/16 DIA

SERIES

2 K



PART NO.	L	D	A	T
2K1	3	1 3/4	7/16	10-32
2K2	4	1 3/4	7/16	10-32
2K3	6	1 3/4	7/16	10-32

MATERIAL: STAINLESS STEEL-QQ-S-763, CLASS 303

FINISH: BRIGHT PASSIVATE PER MIL-F-14072.

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63

SECTION 2

PAGE 2 K

ABACUS


ITEM

ROUND - OFFSET HANDLE

3/8 DIA.

SERIES

2 L



PART NO.	L	T	A
2L1	4 1/2	10-24	9/16
2L2	6 1/2	10-24	9/16

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11
(ALSO AVAILABLE IN SEMI/FROST PER MIL-A-8625 TYPE 11
ADD LETTER S TO PART NUMBER - EXAMPLE - 2L1-S

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 L

ABACUS


ITEM

ROUND - OFFSET HANDLE

5/16 DIA.

SERIES

2 M



PART NO.	L	T	A
2M1	4 1/2	10-32	9/16
2M2	6 1/2	10-32	9/16

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE VI
(ALSO AVAILABLE IN BLACK OXIDE FINISH PER MIL-F-495A
ADD LETTER B TO PART NUMBER - EXAMPLE - 2M1-B

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 2 PAGE 2 M

ABACUS


ITEM

SLANT-STYLED HANDLES

SERIES

2 S


OVAL



PART NO.

ALUMINUM	L	D	T	A
2S3	4-9/16	1-7/8	10-24	9/16
2S4	6-7/16	1-7/8	10-24	9-16
BRASS				
2S13	4-9/16	1-7/8	10-32	9/16
2S14	6-7/16	1-7/8	10-32	9/16

ROUND



PART NO.

ALUMINUM	BRASS	L	D	T	A	B
2S23	2S53	4-9/16	1-7/8	8-32	9/16	1/4
2S24	2S54	6-7/16	1-7/8	8-32	9/16	1/4
2S33	2S63	4-9/16	1-7/8	10-32	9/16	5/16
2S34	2S64	6-7/16	1-7/8	10-32	9/16	5/16
2S43	2S73	4-9/16	1-7/8	10-32	9/16	3/8
2S44	2S74	6-7/16	1-7/8	10-32	9/16	3/8

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11 (ALSO AVAILABLE IN SEMI-FROST PER MIL-A-8625 TYPE 11 ADD LETTER S TO PART NUMBER - EXAMPLE - 2S3-S)

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE V1 (ALSO AVAILABLE IN BLACK OXIDE PER MIL-F-495A ADD LETTER B TO PART NUMBER - EXAMPLE - 2S13-B)

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN.67

SECTION 2 PAGE 2 S


ABACUS

ITEM

FERRULE

SERIES

2 Z




FOR 5/32 DIA. HANDLE

PART NO.

2Z1 - ALUMINUM

2Z2 - BRASS



FOR 1/4 DIA. HANDLE

PART NO.

2Z3 - ALUMINUM

2Z4 - BRASS

NOTE:

MATERIAL: ALUMINUM PER QQ-A-325A

FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11 (ALSO AVAILABLE IN SEMI-FROST PER MIL-A-8625 TYPE 11 ADD LETTER S TO PART NUMBER - EXAMPLE - 2Z1-S)

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE V1 (ALSO AVAILABLE IN BLACK OXIDE PER MIL-F-495A ADD LETTER B TO PART NUMBER - EXAMPLE - 2Z2-B)

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 2

REV: DATE JAN. 63

SECTION 2 PAGE 2 Z


ABACUS

ITEM

FERRULE

SERIES

2 Z




FOR 5/16 DIA. HANDLE

PART NO.

2Z5 - ALUMINUM

2Z6 - BRASS



FOR 3/8 DIA. HANDLE

PART NO.

2Z7 - ALUMINUM

NOTE:

MATERIAL: ALUMINUM PER QQ-A-325A
FINISH: BLACK ANODIZE PER MIL-A-8625 TYPE 11 (ALSO AVAILABLE IN SEMI-FROST PER MIL-A-8625 TYPE 11 ADD LETTER S TO PART NUMBER - EXAMPLE - 2Z1-S)

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.
FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE V1 (ALSO AVAILABLE IN BLACK OXIDE PER MIL-F-495A ADD LETTER B TO PART NUMBER -EXAMPLE - 2Z2-B)


ABACUS

ELECTRONICS
CORPORATION

SHEET 2 OF 2

REV: DATE JAN. 63

SECTION 2 PAGE 2 Z



Do you want them **SHORT?**



Do you want them **TALL?**

Call **ABACUS...** *we have them all!*



SPACERS

SPACERS

- Standard* — ABACUS maintains a complete stock for Immediate Delivery.
- Special* — ABACUS will manufacture special variations of these spacers. — Just send your prints specifying the material, dimension and finish. You will receive a quick answer, an advantageous price and a Fast Delivery.

ABACUS ELECTRONICS CORPORATION



10 HUDSON TERRACE, DOBBS FERRY, NEW YORK 10522
TELEPHONE (914) 693-1450

ABACUS

ITEM

SPACER

ROUND - CLEAR

SERIES

3 A



PART NOS.

L	CLEARANCE	D	ALUM.	BRASS	STAINLESS	NYLON	PHENOLIC
1/8	#4 SCREW	3/16	3A1-A	3A1-B	3A1-SS	3A1-N	3A1-P
1/4	#4 SCREW	3/16	3A2-A	3A2-B	3A2-SS	3A2-N	3A2-P
3/8	#4 SCREW	3/16	3A3-A	3A3-B	3A3-SS	3A3-N	3A3-P
1/2	#4 SCREW	3/16	3A4-A	3A4-B	3A4-SS	3A4-N	3A4-P
1/4	#6 SCREW	1/4	3A5-A	3A5-B	3A5-SS	3A5-N	3A5-P
3/8	#6 SCREW	1/4	3A6-A	3A6-B	3A6-SS	3A6-N	3A6-P
1/2	#6 SCREW	1/4	3A7-A	3A7-B	3A7-SS	3A7-N	3A7-P
5/8	#6 SCREW	1/4	3A8-A	3A8-B	3A8-SS	3A8-N	3A8-P
3/4	#6 SCREW	1/4	3A9-A	3A9-B	3A9-SS	3A9-N	3A9-P
7/8	#6 SCREW	1/4	3A10-A	3A10-B	3A10-SS	3A10-N	3A10-P
1''	#6 SCREW	1/4	3A11-A	3A11-B	3A11-SS	3A11-N	3A11-P
1/4	#8 SCREW	1/4	3A12-A	3A12-B	3A12-SS	3A12-N	3A12-P
3/8	#8 SCREW	1/4	3A13-A	3A13-B	3A13-SS	3A13-N	3A13-P
1/2	#8 SCREW	1/4	3A14-A	3A14-B	3A14-SS	3A14-N	3A14-P
5/8	#8 SCREW	1/4	3A15-A	3A15-B	3A15-SS	3A15-N	3A15-P
3/4	#8 SCREW	1/4	3A16-A	3A16-B	3A16-SS	3A16-N	3A16-P
7/8	#8 SCREW	1/4	3A17-A	3A17-B	3A17-SS	3A17-N	3A17-P
1''	#8 SCREW	1/4	3A18-A	3A18-B	3A18-SS	3A18-N	3A18-P

MATERIAL

MATERIAL SPECIFICATIONS

FINISH

BRASS
ALUMINUM
STAINLESS STEEL
NYLON
PHENOLIC

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)
MIL-P-17091-B (GRADE 101)
MIL-P-3115 PBE (PAPER BASE)

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073
NATURAL
NATURAL

ABACUS

ELECTRONICS
CORPORATION

SHEET

OF

REV: 001

DATE JAN.67

SECTION 3

PAGE 3 A

ABACUS


ITEM

SPACER

ROUND - THREADED

SERIES

3 B



PART NOS.

D	L	THREAD	ALUM.	BRASS	STAINLESS	NYLON	PHENOLIC
3/16	1/8	4-40	3B1-A	3B1-B	3B1-SS	3B1-N	3B1-P
3/16	1/4	4-40	3B2-A	3B2-B	3B2-SS	3B2-N	3B2-P
3/16	3/8	4-40	3B3-A	3B3-B	3B3-SS	3B3-N	3B3-P
3/16	1/2	4-40	3B4-A	3B4-B	3B4-SS	3B4-N	3B4-P
1/4	1/4	6-32	3B5-A	3B5-B	3B5-SS	3B5-N	3B5-P
1/4	3/8	6-32	3B6-A	3B6-B	3B6-SS	3B6-N	3B6-P
1/4	1/2	6-32	3B7-A	3B7-B	3B7-SS	3B7-N	3B7-P
1/4	5/8	6-32	3B8-A	3B8-B	3B8-SS	3B8-N	3B8-P
1/4	3/4	6-32	3B9-A	3B9-B	3B9-SS	3B9-N	3B9-P
1/4	7/8	6-32	3B10-A	3B10-B	3B10-SS	3B10-N	3B10-P
1/4	1''	6-32	3B11-A	3B11-B	3B11-SS	3B11-N	3B11-P
3/8	1/4	8-32	3B12-A	3B12-B	3B12-SS	3B12-N	3B12-P
3/8	3/8	8-32	3B13-A	3B13-B	3B13-SS	3B13-N	3B13-P
3/8	1/2	8-32	3B14-A	3B14-B	3B14-SS	3B14-N	3B14-P
3/8	5/8	8-32	3B15-A	3B15-B	3B15-SS	3B15-N	3B15-P
3/8	3/4	8-32	3B16-A	3B16-B	3B16-SS	3B16-N	3B16-P
3/8	7/8	8-32	3B17-A	3B17-B	3B17-SS	3B17-N	3B17-P
3/8	1''	8-32	3B18-A	3B18-B	3B18-SS	3B18-N	3B18-P

MATERIAL

BRASS
ALUMINUM
STAINLESS STEEL
NYLON
PHENOLIC

MATERIAL SPECIFICATIONS

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)
MIL-P-17091-B (GRADE 101)
MIL-P-3115 PBE (PAPER BASE)

FINISH

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073
NATURAL
NATURAL

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 3 PAGE 3 B

ABACUS


ITEM

SPACER

HEX - THREADED

SERIES

3 C



PART NOS.

D	L	THREAD	ALUM.	BRASS	STAINLESS	NYLON
3/16	1/8	4-40	3C1-A	3C1-B	3C1-SS	3C1-N
3/16	1/4	4-40	3C2-A	3C2-B	3C2-SS	3C2-N
3/16	3/8	4-40	3C3-A	3C3-B	3C3-SS	3C3-N
3/16	1/2	4-40	3C4-A	3C4-B	3C4-SS	3C4-N
1/4	1/4	6-32	3C5-A	3C5-B	3C5-SS	3C5-N
1/4	3/8	6-32	3C6-A	3C6-B	3C6-SS	3C6-N
1/4	1/2	6-32	3C7-A	3C7-B	3C7-SS	3C7-N
1/4	5/8	6-32	3C8-A	3C8-B	3C8-SS	3C8-N
1/4	3/4	6-32	3C9-A	3C9-B	3C9-SS	3C9-N
1/4	7/8	6-32	3C10-A	3C10-B	3C10-SS	3C10-N
1/4	1"	6-32	3C11-A	3C11-B	3C11-SS	3C11-N
3/8	1/4	8-32	3C12-A	3C12-B	3C12-SS	3C12-N
3/8	3/8	8-32	3C13-A	3C13-B	3C13-SS	3C13-N
3/8	1/2	8-32	3C14-A	3C14-B	3C14-SS	3C14-N
3/8	5/8	8-32	3C15-A	3C15-B	3C15-SS	3C15-N
3/8	3/4	8-32	3C16-A	3C16-B	3C16-SS	3C16-N
3/8	7/8	8-32	3C17-A	3C17-B	3C17-SS	3C17-N
3/8	1"	8-32	3C18-A	3C18-B	3C18-SS	3C18-N

MATERIAL

BRASS
ALUMINUM
STAINLESS STEEL
NYLON

MATERIAL SPECIFICATIONS

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)
MIL-P-17091-B (GRADE 101)

FINISH

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073
NATURAL

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV 001 DATE JAN. 67

SECTION 3 PAGE 3 C

ABACUS


ITEM

SPACER

HEX - DOUBLE END

SERIES

3 D



PART NOS.

L	ALUM.	BRASS	STAINLESS	NYLON
1	3D1-A	3D1-B	3D1-SS	3D1-N
1 1/4	3D2-A	3D2-B	3D2-SS	3D2-N
1 1/2	3D3-A	3D3-B	3D3-SS	3D3-N
1 3/4	3D4-A	3D4-B	3D4-SS	3D4-N
2	3D5-A	3D5-B	3D5-SS	3D5-N
2 1/4	3D6-A	3D6-B	3D6-SS	3D5-N
2 1/2	3D7-A	3D7-B	3D7-SS	3D7-N
2 3/4	3D8-A	3D8-B	3D8-SS	3D8-N
3	3D9-A	3D9-B	3D9-SS	3D9-N

MATERIAL

MATERIAL SPECIFICATIONS

FINISH

BRASS
ALUMINUM
STAINLESS STEEL
NYLON

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)
MIL-P-17091-B (GRADE 101)

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073
NATURAL

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: 001

DATE JAN. 67

SECTION 3

PAGE 3 D

ABACUS


ITEM

STANDOFF

HEX - DOUBLE END

SERIES

3 E



PART NO.

L	ALUM.	BRASS	STAINLESS STL.	NYLON
1	3E1-A	3E1-B	3E1-SS	3E1-N
1 1/2	3E2-A	3E1-B	3E2-SS	3E2-N
2	3E3-A	3E3-B	3E3-SS	3E3-N

MATERIAL

BRASS
ALUMINUM
STAINLESS STEEL
NYLON

MATERIAL SPECIFICATIONS

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)
MIL-P-17091-B (GRADE 101)

FINISH

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073
NATURAL

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 3 PAGE 3 E

ABACUS

ITEM

STANDOFF


ROUND - RIVET TYPE

SERIES

3 F

PART NOS.

H	L	TERMINAL BOARD THICKNESS	ALUM.	BRASS	STAINLESS STL.
1/8	7/64	1/16	3F1-A	3F1-B	3F1-SS
1/8	9/64	3/32	3F2-A	3F2-B	3F2-SS
1/8	11/64	1/8	3F3-A	3F3-B	3F3-SS
1/4	7/64	1/16	3F4-A	3F4-B	3F4-SS
1/4	9/64	3/32	3F5-A	3F5-B	3F5-SS
1/4	11/64	1/8	3F6-A	3F6-B	3F6-SS
3/8	7/64	1/16	3F7-A	3F7-B	3F7-SS
3/8	9/64	3/32	3F8-A	3F8-B	3F8-SS
3/8	11/64	1/8	3F9-A	3F9-B	3F9-SS
1/2	7/64	1/16	3F10-A	3F10-B	3F10-SS
1/2	9/64	3/32	3F11-A	3F11-B	3F11-SS
1/2	11/64	1/8	3F12-A	3F13-B	3F12-SS
5/8	7/64	1/16	3F13-A	3F13-B	3F13-SS
5/8	9/64	3/32	3F14-A	3F14-B	3F14-SS
5/8	11/64	1/8	3F15-A	3F15-B	3F15-SS
3/4	7/64	1/16	3F16-A	3F16-B	3F16-SS
3/4	9/64	3/32	3F17-A	3F17-B	3F17-SS
3/4	11/64	1/8	3F18-A	3F18-B	3F18-SS
1''	7/64	1/16	3F19-A	3F19-B	3F19-SS
1''	9/64	3/32	3F20-A	3F20-B	3F20-SS
1''	11/64	1/8	3F21-A	3F21-B	3F21-SS



MATERIAL

BRASS
ALUMINUM
STAINLESS STEEL

MATERIAL SPECIFICATIONS

QQ-B-611A COMP B 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)

FINISH

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 3 PAGE 3 F

ABACUS

ITEM

STANDOFF


HEX - RIVET TYPE

SERIES

3 G

PART NOS.

H	L	TERMINAL BOARD THICKNESS	ALUM.	BRASS	STAINLESS
1/8	7/64	1/16	3G1-A	3G1-B	3G1-SS
1/8	9/64	3/32	3G2-A	3G2-B	3G2-SS
1/8	11/64	1/8	3G3-A	3G3-B	3G3-SS
1/4	7/64	1/16	3G4-A	3G4-B	3G4-SS
1/4	9/64	3/32	3G5-A	3G5-B	3G5-SS
1/4	11/64	1/8	3G6-A	3G6-B	3G6-SS
3/8	7/64	1/16	3G7-A	3G7-B	3G7-SS
3/8	9/64	3/32	3G8-A	3G8-B	3G8-SS
3/8	11/64	1/8	3G9-A	3G9-B	3G9-SS
1/2	7/64	1/16	3G10-A	3G10-B	3G10-SS
1/2	9/64	3/32	3G11-A	3G11-B	3G11-SS
1/2	11/64	1/8	3G12-A	3G12-B	3G12-SS
5/8	7/64	1/16	3G13-A	3G13-B	3G13-SS
5/8	9/64	3/32	3G14-A	3G14-B	3G14-SS
5/8	11/64	1/8	3G15-A	3G15-B	3G15-SS
3/4	7/64	1/16	3G16-A	3G16-B	3G16-SS
3/4	9/64	3/32	3G17-A	3G17-B	3G17-SS
3/4	11/64	1/8	3G18-A	3G18-B	3G18-SS
1''	7/64	1/16	3G19-A	3G19-B	3G19-SS
1''	9/64	3/32	3G20-A	3G20-B	3G20-SS
1''	11/64	1/8	3G21-A	3G21-B	3G21-SS



MATERIAL

BRASS
ALUMINUM
STAINLESS STEEL

MATERIAL SPECIFICATIONS

QQ-B-611A COMP 1/2 HARD
QQ-A-365 (2011-T3)
QQ-S-763A CLASS 7 TYPE A (303)

FINISH

CADMIUM PLATE PER QQ-P-416A TYPE 11
CLASS B - COLORED CHROMATE
IRIDITE-GOLD-#14MIL-C-5541
PASSIVATE MIL-F-14073

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1



REV: 001

DATE JAN. 67




SECTION 3

PAGE 3 G

Abacus Electronics Corp.



**ELECTRONIC
HARDWARE**



REMEMBER...YOU CAN COUNT ON ABACUS



ABACUS

ITEM

S H A F T L O C K

SERIES

4 A




FIGURE 1




FIGURE 2

PART NO.	FIG.	A	D	B	N	C	HOLE	THREAD
4A1	1	3/16	7/32	1/2 HEX	7/16	HEX	1/4	3/8-32
4A2	2	3/16	1/4	1/2 HEX	1"	Rd.	1/4	3/8-32
4A3	1	5/32	13/64	11/32 HEX	5/16	HEX	1/8	1/4-32
4A4	2	5/32	13/64	11/32 HEX	5/8	Rd.	1/8	1/4-32

MATERIAL: BRASS PER QQ-B-626A COMP 22-1/2 HARD

FINISH: NICKEL PLATE PER MIL-QQ-N-290 TYPE 1 CLASS B

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 4 PAGE 4 A


ABACUS

ITEM

PANEL BUSHING

SERIES

4 B



PART NO.	L	D	C	T
4B1	3/8	1/2	.252	3/8-32
4B2	7/16	1/2	.252	3/8-32
4B3	1/2	1/2	.252	3/8-32
4B4	5/8	1/2	.252	3/8-32
4B5	3/4	1/2	.252	3/8-32
4B6	3/8	11/32	.127	1/4-32
4B7	7/16	7/16	.252	3/8-32

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE PER MIL-QQ-N-290 TYPE 1
CLASS B

MOUNTING NUT & INTERNAL TOOTH LOCKWASHER SUPPLIED

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 4 PAGE 4 B


ABACUS

ITEM

COUPLING

SERIES

4 C



PART NO.	L	A	D	C	T
4C1	3/8	3/16	9/32	.127	4-40
4C2	3/4	7/16	7/16	.252	6-32

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD

FINISH: NICKEL PLATE PER MIL-QQ-N-290 TYPE 1 CLASS B

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV:

DATE JAN. 63

SECTION 4

PAGE 4 C


ABACUS

ITEM

BRACKET

SERIES

4 D



PART NO.	S	T	
4D1	1 1/2	2 3/8	ALUMINUM
4D2	2	2 7/8	ALUMINUM
4D3	2 1/2	3 3/8	ALUMINUM
4D4	1 1/2	2 3/8	BRASS
4D5	2	2 7/8	BRASS
4D6	2 1/2	3 3/8	BRASS

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.

FINISH: CADMIUM PER QQ-P-416A TYPE 11 CLASS B-COLORED CHROMATE

MATERIAL: ALUMINUM PER QQ-A-268-1

FINISH: CHEMICAL FILM PER MIL-C-5541

ABACUS

ELECTRONICS
CORPORATION

SHEET

OF

REV: 001

DATE JAN. 67

SECTION 4

PAGE 4 D


ABACUS

ITEM

BRACKET

SERIES

4 E



PART NO.	S	T
4E1	1 1/2	2 3/8
4E2	2	2 7/8
4E3	2 1/2	3 3/8

MATERIAL: STEEL COLD ROLLED PER QQ-S-633B.
GRADE FS-1010

FINISH: CADMIUM PER QQ-P-416A TYPE 11 CLASS
B COLORED CHROMATE

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 4 PAGE 4 E


ABACUS

ITEM

CAPTIVE SCREW

SERIES

5 A



PART NO.	A	B	D	T	MATERIAL
5A1	3/4	5/16	7/16	6-32	BRASS
5A2	3/4	5/16	7/16	6-32	ST. ST.
5A3	3/4	3/8	7/16	8-32	BRASS
5A4	3/4	3/8	7/16	8-32	ST. ST.
5A5	7/8	3/8	7/16	10-32	BRASS
5A6	7/8	3/8	7/16	10-32	ST. ST.
5A7	7/8	3/8	5/8	10-32	BRASS
5A8	7/8	3/8	5/8	10-32	ST. ST.
5A9	31/32	3/8	5/8	10-32	BRASS
5A10	31/32	3/8	5/8	10-32	ST. ST.
5A11	7/8	3/8	5/8	1/4-20	BRASS
5A12	7/8	3/8	1/2	1/4-20	ST. ST.

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD
STAINLESS STEEL PER QQ-S-763B CLASS 303

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE
1 CLASS B
BRIGHT PASSIVATE PER MIL-F-14072

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 5 PAGE 5 A


ABACUS

ITEM

CAPTIVE SCREW BUSHING

SERIES

5 B



PART NO.	D	A	L	T	PANEL THICK
5B1	3/8	5/16	5/32	6-32	1/8
5B2	3/8	5/16	5/32	8-32	1/8
5B3	9/16	13/32	5/32	10-32	1/8
5B4	9/16	13-32	5/32	1/4-20	1/8
5B5	3/8	5/16	7/32	6-32	3/16
5B6	3/8	5/16	7/32	8-32	3/16
5B7	9/16	13/32	7/32	10-32	3/16
5B8	9/16	13/32	7/32	1/4-20	3/16
5B9	3/8	5/16	9/32	6-32	1/4
5B10	3/8	5/16	9/32	8-32	1/4
5B11	9/16	13/32	9/32	10-32	1/4
5B12	9/16	13/32	9/32	1/4-20	1/4

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.

FINISH: NICKEL PLATE PER MIL-QQ-N-290 TYPE 1
CLASS B. (ALSO AVAILABLE IN STAINLESS
STEEL QQ-S-763 CLASS 303 BRIGHT PASSIVATE
ADD LETTER S TO PART NUMBER - EXAMPLE - 5B1-S)

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 5 PAGE 5 B


ABACUS

ITEM

THUMB SCREW

SERIES

5 C



PART NO.	D	E	THREAD
5C1	3/8	5/16	6-32
5C2	3/8	5/16	8-32
5C3	3/8	5/16	10-32
5C4	7/16	3/8	6-32
5C5	7/16	3/8	8-32
5C6	7/16	3/8	10-32
5C7	1/2	7/16	6-32
5C8	1/2	7/16	8-32
5C9	1/2	7/16	10-32

MATERIAL: BRASS PER QQ-B-626 COMP 22-1/2 HARD.

FINISH: NICKEL PLATE AND POLISH PER MIL-QQ-N-290 TYPE VI CLASS B

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 5 PAGE 5 C


ABACUS

ITEM

CAPTIVE SCREW

SERIES

5 D



PART NO.	A	B	C	D	E	F	G	H	J	L	T
5D1	7/16	5/8	.135	1/4	5/32	1/16	3/8	.135	3/32	7/8	10-24
5D2	7/16	3/4	.135	1/4	5/32	1/16	3/8	.135	3/32	1''	10-24

MATERIAL: STAINLESS STEEL PER QQ-S-763B CLASS 303

FINISH: BRIGHT PASSIVATE PER MIL-F-14072

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 5 PAGE 5 D

SOLDER TERMINALS



SPECIFICATIONS

ABACUS Terminals are manufactured from Mil Spec brass and are designed for ease of swaging. Terminals can be furnished with .0003 silver plate, protected with water dip laquer to prevent tarnishing. Terminals can also be furnished hot tin dipped.

MATERIALS

Brass: QQ-B-626, Comp. 22, 1/2 hard, Brass tubing for hollow terminals is ASTM 135 grade.

FINISHES

Silver: MIL-F-14072, QQ-S-365

Tin-Lead Solder (Electro-Solder): MIL-F-14072

Electro-Tin: MIL-T-10727, Type 1

Hot-Dip Solder: MIL-F-14072, Type 221

Gold: MIL-G-45204, Type 11

Bright Alloy: Copper-tin-zinc

ABACUS Solder Terminals meet the requirements of the latest Military and Federal specifications for materials and platings. ABACUS maintains stocks of solder terminals to meet MIL-T-55155.

TOLERANCES

Unless otherwise noted, tolerances for standard solder terminals shown in this section of the catalog are $\pm .002$ " after plating for mounting diameters and $\pm .005$ " for other dimensions.

SPECIAL TERMINALS

Engineering services are available to help design, quote, and manufacture any special terminal you may require.

OUR FEDERAL CODE NUMBER - 08842

ABACUS

ELECTRONICS


CORPORATION

REMEMBER... YOU CAN COUNT ON ABACUS




TERMINAL - SINGLE TURRET


6 A



PART NO.	L	T
6A1-1	.051	1/32
6A1-2	.082	1/16
6A1-3	.113	3/32
6A1-4	.145	1/8



PART NO.	L	T
6A2-1	.075	1/32
6A2-2	.105	1/16
6A2-3	.135	3/32
6A2-4	.165	1/8



PART NO.	L	T
6A3 - 2	.105	1/16
6A3 - 3	.135	3/32
6A3 - 4	.165	1/8

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: 001 DATE JAN. 67

SECTION 6 PAGE 6 A

ABACUS


ITEM

TERMINAL - SOLID RRET

DOUBLE TURRET

SERIES

6 B



PART NO.

L

T

6B1-1

.051

1/32

6B1-2

.082

1/16

6B1-3


.113

3/32

6B1-4

.145

1/8



PART NO.

L

T

6B2-1

.054

1/32

6B2-2

.084

1/16

6B2-3


.115

3/32

6B2-4

.147

1/8



PART NO.

L

T

6B3-1

.078

1/32

6B3-2

.109

1/16

6B3-3

.140

3/32

6B3-4

.171

1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET 1

OF

2

REV:

DATE JAN. 63

SECTION 6

PAGE

6 B

ABACUS


ITEM

TERMINAL - SOLID

DOUBLE TURRET

SERIES

6 B



PART NO.

L

T

6B4-1

.075

1/32

6B4-2

.105

1/16

6B4-3


.135

3/32

6B4-4

.165

1/8



PART NO.

L

T

6B5-1

.075

1/32

6B5-2

.105

1/16

6B5-3


.135

3/32

6B5-4

.165

1/8



PART NO.

L

T

6B6-2

.105

1/16

6B6-3

.135

3/32

6B6-4

.165

1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET

2

OF

2

REV:

DATE JAN. 63

SECTION

6

PAGE

6 B

ABACUS


ITEM

TERMINAL - HOLLOW

SINGLE TURRET

SERIES

6 C




PART NO.

L

T

6C1-1	.053	1/32
6C1-2	.084	1/16
6C1-3	.115	3/32
6C1-4	.147	1/8




PART NO.

L

T

6C2-1	.062	1/32
6C2-2	.093	1/16
6C2-3	.125	3/32
6C2-4	.156	1/8




PART NO.

L

T

6C3-2	.105	1/16
6C3-3	.135	3/32
6C3-4	.165	1/8



PART NO.

L

T

6C4-1	.078	1/32
6C4-2	.109	1/16
6C4-3	.140	3/32
6C4-4	.171	1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63

SECTION 6

PAGE 6 C

ABACUS


ITEM

TERMINAL - HOLLOW

MULTIPLE TURRET

SERIES

6 D



PART NO.

L

T

6D1-2

.105

1/16

6D1-3


.135

3/32

6D1-4

.165

1/8



PART NO.

L

T

6D2-2

.105

1/16

6D2-3


.135

3/32

6D2-4

.165

1/8



PART NO.

L

T

6D3-2

.105

1/16

6D3-3

.135

3/32

6D3-4

.165

1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63

SECTION

6

PAGE

6 D


ABACUS

ITEM

TERMINAL - FORK STYLE

SERIES

6 E




PART NO.

L

T

6E1-1	.053	1/32
6E1-2	.084	1/16
6E1-3	.115	3/32
6E1-4	.147	1/8




PART NO.

L

T

6E2-2	.105	1/16
6E2-3	.135	3/32
6E2-4	.165	1/8



PART NO.

L

T

6E3-2	.109	1/16
6E3-3	.140	3/32
6E3-4	.171	1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET

1

OF

1

REV:

DATE

JAN. 63

SECTION


6

PAGE


6 E

TERMINAL - MILLED TYPE


6 F



PART NO.	L	T
6F1-1	.105	1/16
6F1-2	.135	3/32
6F1-3	.165	1/8
6F1-4	.230	3/16



PART NO.	L	T
6F2-2	.105	1/16
6F2-3	.135	3/32
6F2-4	.165	1/8



PART NO.	L	T
6F3-1	.075	1/32
6F3-2	.105	1/16
6F3-3	.135	3/32
6F3-4	.165	1/8

ABACUS

ELECTRONICS

CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 6 PAGE 6 F

ABACUS


ITEM

TERMINAL - DOUBLE END

2 TURRETS

SERIES

6 G




PART NO.

L

T

6G1-1	.051	1/32
6G1-2	.082	1/16
6G1-3	.113	3/32
6G1-4	.145	1/8




PART NO.

L

T

6G2-1	.075	1/32
6G2-2	.105	1/16
6G2-3	.135	3/32
6G2-4	.165	1/8



PART NO.

L

T

6G3-1	.105	1/16
6G3-2	.135	3/32
6G3-3	.165	1/8
6G3-4	.130	3/16

ABACUS

ELECTRONICS

CORPORATION

SHEET

OF

REV:

DATE JAN. 63




SECTION

6

PAGE

6 G

6 H



PART NO.	L	T
6H4-2	.105	1/16
6H4-3	.135	3/32
6H4-4	.165	1/8

PAGE 6 H

ABACUS


ITEM

TERMINAL - DOUBLE END


4 TURRETS

SERIES


6 J



PART NO.	L	T
6J1-1	.051	1/32
6J1-2	.082	1/16
6J1-3	.113	3/32
6J1-4	.145	1/8



PART NO.	L	T
6J2-1	.062	1/32
6J2-2	.093	1/16
6J2-3	.125	3/32
6J2-4	.156	1/8



PART NO.	L	T
6J3-1	.094	1/16
6J3-2	.125	3/32
6J3-3	.156	1/8
6J3-4	.219	3/16
6J3-5	.281	1/4

ABACUS

ELECTRONICS
CORPORATION

SHEET 1 OF 1

REV: DATE JAN. 63

SECTION 6 PAGE 6 J

6 J



PART NO.	L	T
6J4-2	.105	1/16
6J4-3	.135	3/32
6J4-4	.165	1/8



PART NO.	L	T
6J5-2	.105	1/16
6J5-3	.135	3/32
6J5-4	.165	1/8

SECTION 6 PAGE J

PLASTIC FABRICATION

AEC can furnish from stock; Sheets, Rods and Tubes in Laminated Bakelite — covering paper, cloth, nylon and glass base laminates (Phenolic, Melamine and Silicone). **AEC** is completely equipped to fabricate these materials to customer specifications



TERMINAL BOARDS



Completely assembled terminal boards to meet all government specifications.

ELECTRONIC HARDWARE

A full line of Electronic hardware including Insulated Terminals — Feed thru and Stand off types — handles, brackets, captive screw, thumb screw, shaft locks, dial locks, bushings, spacers.

SCREW MACHINE PARTS PLASTIC OR METAL

AEC maintains complete facilities for custom screw machine parts and will manufacture parts to customer specifications in all metals and plastics especially brass, copper, steel, aluminum, bakelite, glass base materials such as glass melamine and glass silicone, nylon, teflon, polystyrene.

STANDARD TERMINALS


A complete line of terminals to choose from. These standardized precision terminals are designed for quick fastening, swift soldering and firm holding. The terminals are made of brass and are furnished either hot tin dipped or silver plated.

REMEMBER...YOU CAN COUNT ON ABACUS



HANDLES OF QUALITY ANY SIZE ANY SHAPE

IF YOU DID NOT SEE THE SIZE
YOU REQUIRE... MAIL THE POSTAGE PAID
REPLY CARD OR SEND US YOUR BLUEPRINTS.



STANDARDIZED ELECTRONIC HARDWARE

AEC

REMEMBER...YOU CAN COUNT ON ABACUS



ABACUS ELECTRONICS CORPORATION

10 HUDSON TERRACE, DOBBS FERRY, N.Y. 10522 TELEPHONE: 914-693-1450

